



# **COSMIC** **ALIEN**

Operation, Maintenance  
and Service Manual



**UNIVERSAL**



**Thank you very much for your purchase of the COSMIC ALIEN. Carrying a CPU, the COSMIC ALIEN is a game machine of the newest type with many features and functions.**

**This manual describes how to make the most of such features and functions, so please read it carefully in order to make the best use of the machine.**



# CONTENTS

I.	Features of this machine . . . . .	1
II.	How to handle and maintain this machine. . . . .	2
III.	How to play . . . . .	3
IV.	Nomenclature of each part . . . . .	4
	A. Nomenclature of cabinet parts . . . . .	4
	B. Drawing of circuit board mounting positions . . . . .	5
	C. Positions of dip switches and volume controller knobs . . . . .	6
	a) Setting the option (dip switches). . . . .	6
	b) Volume controller knobs. . . . .	7
	c) Fuses in the power unit. . . . .	7
V.	TV monitor. . . . .	7
	A. Adjustment of TV picture screen . . . . .	7
VI.	Parts catalog . . . . .	8
	A-1 Component parts related to cabinet (outside) . . . . .	8
	A-2 Component parts related to cabinet (inside) . . . . .	9
	a) Operating panel assembly . . . . .	9
	b) Door assembly and parts list . . . . .	10
	c) Lever assembly and parts list. . . . .	11
	B. Component parts related to switches in the cabinet . . . . .	12
	C. Circuit board IC location and parts list . . . . .	13
	a) Main circuit board IC location. . . . .	13
	b) Main circuit board parts list. . . . .	14
	c) Sub-circuit board IC location and parts list . . . . .	15
	d) Sound circuit board IC location . . . . .	16
	e) Sound circuit board parts list . . . . .	17
VII.	Wiring diagram . . . . .	18
	a) Wiring diagram (connector). . . . .	18
	b) Schematic diagram (22''). . . . .	19
	Postface. . . . .	20

## REFERENCE DRAWING

Fig. 1-1	Nomenclature of Cabinet Parts . . . . .	4
Fig. 2-1	Circuit Board Mounting Positions . . . . .	5
Fig. 2-2	Side View of Circuit Board Mounting Positions . . . . .	5
Fig. 3-1	Positions of Dip Switches . . . . .	6
Fig. 3-2	Positions of Volume Controller Knobs . . . . .	7
Fig. 3-3	Fuses in the Power Unit . . . . .	7
Fig. 4-1	Component Parts Related to Cabinet (Outside) . . . . .	8
Fig. 4-2	Component Parts Related to Cabinet (Inside) . . . . .	9
Fig. 4-3	Operating Panel Assembly . . . . .	9
Fig. 4-4	Inside View of Door Assembly . . . . .	10
Fig. 4-5	Lever Assembly . . . . .	11
Fig. 5-1	Component Parts Related to Switches in the Cabinet . . . . .	12
Fig. 6-1	Main Circuit Board . . . . .	13
Fig. 6-2	Sub-Circuit Board . . . . .	15
Fig. 6-3	Sound Circuit Board . . . . .	16
Fig. 7-1	Wiring Diagram . . . . .	18
Fig. 7-2	Schematic Diagram (22") . . . . .	19

— WHEN ORDERING PARTS —

Since each component part is indicated by block, definitely specify both the corresponding Fig. No. and part No. within the Fig. when placing an order for it.

## **I. FEATURES OF THIS MACHINE**

1. The game packs in excellent features capturing the hearts of players.
2. The lever control system is simple to handle.
3. At the flick of a dip switch, you can select among extended play, the number of laser guns and time of appearance of an additional laser gun, etc.
4. High score for the day is always displayed on the screen.
5. Finely designed cabinet and fascinating acoustic effects.

## **II. HOW TO HANDLE AND MAINTAIN THIS MACHINE**

1. Since the UNIVERSAL's COSMIC ALIEN employs a color TV receiving set, be careful not to shake it during transit and when carrying it about.
2. Install it at a location which is not exposed to direct sunlight. In order to prevent the inside temperature rising, avoid as much as possible a location near a heater, etc.
3. Since the grounding terminal is visible, be sure to connect it to a grounding conductor.
4. Insert the power cord into the outlet and turn on the switch.
5. Even if the solid-state module seems to be out of order, do not check the circuit by means of a circuit tester, etc., since the internal voltage of the tester, etc. may sometimes break down the IC.
6. Make sure the machine is well ventilated. If the temperature of the IC and transistor is lower than 60°C, they function normally and may be considered reliable. If it exceeds 60°C, their performance cannot be guaranteed.
7. Make sure that the connector, etc. is not disconnected.
8. Whenever connecting the power cord of the solid-state module to, or disconnecting it from, the outlet, be sure to turn the power off.
9. Although the products of UNIVERSAL are manufactured with the utmost care, they may develop malfunctions when used for long periods. So, be sure to check this machine daily.




### III. HOW TO PLAY

1. Drop in a coin when playing by yourself. Drop in two coins when playing with a friend.
2. When pressing either one- or two-player button after inserting a coin or two, the game starts. Play it by handling a lever for moving the space ship from side to side a FIRE button.
3. Aliens floating high in the air suddenly roll, rushing towards the spaceship to assault it. While warning aliens don't launch missiles, assaulting aliens do when they get near the spaceship – or they hurtle into it.
4. Each time 2 screens have been cleared (or on the 3rd screen) or when 4 screens cleared (or on the 5th screen), the aliens' shape changes and, at the same time, the spaceship comes nearer the aliens by one stage. Your spaceship is then sometimes exposed to the danger of being crashed into from behind by aliens which have dived, making the game even more exciting.
5. The present screen's number is displayed on the bottom right.
6. Aliens are either a chief, guards, commanders or soldiers, and they each have own mode of assault and points awarded. When an assaulting alien is hit, a double score is awarded compared to when the same alien is hit while warning. Every time the screen is cleared, the score level rises.
7. The number of points to be awarded when the assaulting chief alien is hit, is set differentially. That is, if you hit him while assaulting alone, you are awarded a higher score than when you hit him while being escorted by the guards. If you destroy the three guards and chief alien during one diving attack round, you are awarded the highest score.
8. When only one alien remains on the screen, he changes into an immense alien rushing to assault the spaceship.
9. From the 7th screen on, the aliens are able to dodge the assaulting missiles of the spaceship – their assaulting pattern also changes. From the 10th screen on, these changes are even more accelerated, making screen clearance increasingly difficult.
10. You are given 3 spaceships for one game. If your score exceeds 5,000 points, you are awarded a reserve spaceship. (The starting number of spaceships and points over which a reserve ship is awarded, can be changed by dip switches.)


# IV. NOMENCLATURE OF EACH PART

## A. NOMENCLATURE OF CABINET PARTS




**Fig. 1-1 Nomenclature of Cabinet Parts**

**B. DRAWING OF CIRCUIT BOARD MOUNTING POSITIONS**




**Fig. 2-1 Circuit Board Mounting Positions**

**Main circuit board and its container**



**Fig. 2-2 Side View of Circuit Board Mounting Positions**

**C. POSITIONS OF DIP SWITCHES AND VOLUME CONTROLLER KNOBS**



**Fig. 3-1 Positions of Dip Switches**

**a) Setting the option (dip switches)**

COSMIC ALIEN is designed to have various operations set by the ON-OFF combinations of the dip switches. When starting a game, choose any desired game option and set the dip switches accordingly.

**1. Setting the required score for an additional spaceship:**

(Dip switches SW1, 2)

Score	SW1	SW2
5,000 pts	OFF	OFF
10,000 pts	ON	OFF
15,000 pts	OFF	ON
(No bonus addition)	ON	ON

(Set at 5,000 points when shipped)

**2. Setting the game charge: (Dip switches SW3, 4)**

Credit	SW3	SW4
1 coin 1 play	OFF	OFF
1 coin 2 plays	ON	OFF
2 coins 1 play	OFF	ON

**3. Setting the number of spaceships:**

Number of spaceships	SW5
3	OFF
5	ON


(Set at 3 spaceships when shipped)

**4. Change-over setting of the mode of game (SW6):**

The game may be enjoyed either as an upright or table type.  
 (When used as a table type for 2-player action, the table turns over.)


For upright use . . . . . ON  
 For table use . . . . . OFF

**b) Volume controller knobs**



**Fig. 3-2 Positions of Volume Controller Knobs**

**c) Fuses in the power unit**



**Fig. 3-3 Fuses in the Power Unit**


**V. TV MONITOR**

**A. ADJUSTMENT OF TV PICTURE SCREEN**

Since the TV picture screen has been factory-adjusted to optimum conditions at the time of shipment, it needs no adjustment as a rule. If it should by chance need adjustment, adjustment is possible to some extent by manipulating the knobs which appear in the wiring drawing (22'').

**VI. PARTS CATALOG**

**A-1 COMPONENT PARTS RELATED TO CABINET (OUTSIDE)**



**Fig. 4-1 Component Parts Related to Cabinet (Outside)**

**OUTSIDE CABINET PARTS LIST**

Ref. No.	Name	Ref. No.	Name
1	Title panel	11	Title panel fixture
2	Illustrated glass A	12	Caster
3	Illustrated glass B	13	Coin slot
4	CRT	14	Main door
5	Cash box door	15	Push button (1 player)
6	Sticker for game rules	16	Push button (2 players)
7	Push button (Fire)	17	Operating indication panel
8	Cabinet proper	18	Control lever (general name)
9	Knob 32-Dim.		
10	Coin indication panel		

A-2 COMPONENT PARTS RELATED TO CABINET (INSIDE)




Fig. 4-2 Component Parts Related to Cabinet (Inside)

a) Operating panel assembly





Fig. 4-3 Operating Panel Assembly

**b) Door assembly**




**Fig. 4-4 Inside View of Door Assembly**

**DOOR ASSEMBLY PARTS LIST**

Ref. No.	Name	Ref. No.	Name
1	Main door	13	Coin slot shute holder
2	Returning soucer	14	Rejector
3	Lamp & plastic plate bracket	15	Sensor slot
4	Rearing	16	Micro switch
5	Coin slot shute	17	Key sets
6	Returning button	18	Miniature lamp
7	Coin slot	19	Miniature lamp socket
8	Slot plate	20	Coin indication panel
9	Transmission shaft	21	Hexagon socket head screw
10	Rotary bracket	22	Slam switch
11	Rejector bracket	23	Slam switch holder
12	Rejector case		



**c) Lever assembly and parts list**




**Fig. 4-5 Lever Assembly**

**LEVER ASSEMBLY PARTS LIST**

Ref. No.	Name	Ref. No.	Name
1	Knob 32-Dim.	8	Spring holder
2	Lever shaft	9	Blades switch
3	Lever guide & stopper	10	Blades switch
4	Transmission bar	11	Spring holder with nut
5	Nut with stopper	12	Bolt
6	Switch bracket	13	Bolt
7	Spring		

**B. COMPONENT PARTS RELATED TO SWITCHES IN THE CABINET**



**Fig. 5-1 Component Parts Related to Switches in the Cabinet**

**INSIDE CABINET PARTS LIST**

Ref. No.	Name	Ref. No.	Name
1	Fluorscent lamp assembly	8	Micro switch
2	Fluorscent lamp assembly	9	Miniature lamp assembly
3	Blades switch	10	Miniature lamp assembly
4	Blades switch	11	Door switch
5	Blades switch	12	Toggle switch
6	Blades switch	13	Micro switch
7	Miniature lamp assembly	14	Slam switch

### C. CIRCUIT BOARD IC LOCATION AND PARTS LIST

#### a) Main circuit board IC location




Fig. 6-1 Main Circuit Board

**b) Main circuit board parts list**

**[1] Integrated Circuit**

Item No.	Q'ty	Description
7400N	4	Transistor Logic
02N	2	"
04N	7	"
08N	7	"
10N	2	"
16N	1	"
17N	1	"
20N	2	"
25N	1	"
74N	9	"
85N	2	"
86N	5	"
107N	2	"
S138N	2	"
153N	11	"
157N	4	"
161N	6	"
166N	4	"
174N	4	"
S189N	4	64 bits Bipolar RAM
S201N	4	256 bits Bipolar RAM
LS245N	1	Transistor Logic
LS253N	4	"
259N	2	"
283N	2	"
S288N	1	256 bits Bipolar ROM
298N	1	Transistor Logic
LS373N	2	"
2116	8	Nch MOS 16K bits Dynamic RAM
2708	1	Nch MOS 8K bits EPROM
2716	7	Nch MOS 16K bits EPROM
Z80	1	Nch MOS CPU
NE556	1	Transistor Logic

**[2] Other Semiconductor Devices**

Item No.	Q'ty	Description
10D1	4	Diode

**[3] Capacitors**

Rating	Q'ty	Description
100PF/12V	2	Ceramic Capacitor
150PF/12V	1	"
0.1 $\mu$ F/12V	55	"
1 $\mu$ F/50V	1	Chemical Capacitor
10 $\mu$ F/16V	2	"
100 $\mu$ F/25V	4	"

**[4] Resistors**

Rating	Q'ty	Description
MS1028AM	2	1K $\Omega$ Resistor Array
47 $\Omega$ 1/4W	3	Carbon Solid Resistor
270 $\Omega$ "	8	"
330 $\Omega$ "	2	"
1K $\Omega$ "	5	"
4.7K $\Omega$ "	1	"
47K $\Omega$ "	2	"

**[5] Misc**

Name	Q'ty	Description
Dip SW	1	8 Elements Switch Array
X'-tal	1	10.816MHz

c) Sub-circuit board IC location and parts list




Fig. 6-2 Sub-Circuit Board


[1] Integrated Circuit

Item No.	Q'ty	Description
7400N	1	Transistor Logic
08N	1	"
27N	1	"
30N	1	"
86N	2	"
191N	2	"
283N	2	"
LS374N	1	"
2708	1	Nch MOS 8K bits EPROM

[2] Other Semiconductor Devices

Rating	Q'ty	Description
0.1μ/12V	9	Cemical Capacitor

d) Sound circuit board IC location



UNIVERSAL 7910-S

IC Location  
Resistance Value  
Resistor Location  
Capacitance Value  
Capacitor Location

Fig. 6-3 Sound Circuit Board

**e) Sound circuit board parts list**

**[1] Integrated Circuit**

Item No.	Q'ty	Description
LM324	4	Quadruple Operational Amplifiers
NE555	3	Dual Timer
2003	2	Darlington Transistor Array
4016	2	Quad Bilateral Switch
4049	1	Hex Buffer/ Converter Inverting Type
MPC1181H	2	Power Amplifiers

**[2] Other Semiconductor Devices**

Item No.	Q'ty	Description
1S1588	6	Switching Diode
10D1	3	Diode
2SC945	1	N-P-N Transistor

**[3] Capacitors**

Rating	Q'ty	Description
0.0022 $\mu$ F	2	Ceramic Capacitor
0.003 $\mu$ F	1	"
0.0047 $\mu$ F	2	"
0.01 $\mu$ F	1	"
0.068 $\mu$ F	2	Polyester Film Capacitor
0.1 $\mu$ F	15	Ceramic Capacitor
0.47 $\mu$ F	1	Tantalum Capacitor
1 $\mu$ F/50V	6	Chemical Capacitor
2.2 $\mu$ F/16V	3	"
4.7 $\mu$ F/16V	1	"
10 $\mu$ F/16V	3	"
47 $\mu$ F/25V	2	"
100 $\mu$ F/25V	3	"
1,000 $\mu$ F/25V	1	"

**[4] Resistors**


Rating	Q'ty	Description
1.5 $\Omega$ 1/4W	2	Carbon Solid Resistor
4.7 $\Omega$ "	1	"
1K "	15	"
2.2K "	1	"
10K "	9	"
12K "	1	"
20K "	1	"
24K "	1	"
33K "	1	"
39K "	1	"
51K "	4	"
75K "	2	"
100K "	27	"
130K "	1	"
150K "	1	"
200K "	8	"
220K "	7	"
1M "	3	"

**[5] Misc**

Item No.	Q'ty	Description
RV16YP	1	1K $\Omega$ (B) Variable Resistor
RGP102-1	1	2K $\Omega$ (B) Trimmer
MS1028AM	1	1K $\Omega$ Resistor Array

## VII. WIRING DIAGRAM

### a) Wiring diagram (connector)



This documentation provides standard information. Universal reserves the right to change without notice.

Fig. 7-1 Wiring Diagram



b) Schematic diagram (22'')




Fig. 7-2 Schematic Diagram (22'')

**UNIVERSAL**

## POSTFACE


Although the products of UNIVERSAL have been manufactured with the utmost care, if you are at all dissatisfied, please contact either the head office or any of the sales offices of UNIVERSAL.

Please note that the specifications may be subject to change along with quality improvement.

MEMO

NOTICE TO ALL PERSONS RECEIVING THIS DRAWING CONFIDENTIAL: reproduction forbidden without the specific written permission of Universal Co., Ltd., Tokyo, Japan. This drawing is only conditionally issued, and neither receipt nor possession thereof confers or transfers any right in, or license to use, the subject matter of the drawing or any design or technical information shown thereon, nor any right to reproduce this drawing or any part thereof, except for manufacture by vendors of Universal Co., Ltd. and for manufacture under the corporation's written license, no right to reproduce this drawing is granted or the subject matter thereof unless by written agreement with or written permission from the company.





**HEAD OFFICE:**  
**UNIVERSAL CO., LTD.**

1-7-7, Nihonbashi Horidome-cho, Chuoh-ku,  
Tokyo 103, Japan

Phone : (03) 661-1447, 6003

Cable : UNMANIFACT

Telex : J27348 (UNICO)

**North America Office:**

• Sunset-Vine Tower, Suite 1500  
6290 Sunset Boulevard Hollywood,  
California 90028

Phone : (213) 469-3541

Telex : 69-1386

• 463 Pontiac Avenue Cranston,

R. I. 02910

Phone : 401-467-2442

**European Office:**

• 106 Harley House Upper Harley Street  
London, N. W. 1, England

Phone : (01) 935-9713



Telex : 21879, 25247, 21866  
261348. (TELEX G)



# COSMIC ALIEN

# TABLE TYPE PARTS CATALOG


## A-1 COMPONENT PARTS RELATED TO CABINET (OUTSIDE)




## OUTSIDE CABINET PARTS LIST

No.	Nomenclature	No.	Nomenclature
1	Operating indication illustrated panel (for 1st player)	13	Power cord (cabtyre cord)
2	Operating indication illustrated panel (for 2nd player)	14	Foot (1) Foot mount (2) Foot stand (3) Foot reinforcing fittings (4) Foot thumscrews
3	Sticker for game rules		
4	Control lever knob; 24mm in diam.		
5	Push button ass'y (for 1 player)		
6	Push button ass'y (for 2 players)	15	Table glass
7	Push button ass'y (for FIRE)	16	Glass fittings
8	Speaker cover	17	Table (smoke plate, fittings included)
9	Ventilating panel (x2)	18	Operating base plate (for 1st player)
10	Cash box door & frame	19	Operating base plate (for 2nd player)
11	Coin rejector ass'y	20	Cash box door key
12	Coin rejector frame	21	Door key (x2)

## A-2 COMPONENT PARTS RELATED TO CABINET (INSIDE)



⑮ Wiring harness ass'y with connector



## INSIDE CABINET PARTS LIST

No.	Nomenclature	No.	Nomenclature
1	CRT (13 inches) (1) Deflecting coil (2) Demagnetization coil (3) Chassis (4) TV P.C.B. (5) Demagnetization coil switch	9	Cash box
2	Ventilating fan	10	Power circuit board (1) Radiator plate (2) Voltage regulator (3) Fuse
3	Speaker	11	Main circuit board
4	Coin counter	12	Sound circuit board
5	Butterfly plate ass'y	13	Coin switch
6	Table lock mechanism ass'y	14	56P connector for main circuit board
7	Door switch	15	Wiring harness ass'y with connector
8	Power supply (1) Transformer (2) Main switch (3) Noise filter	16	CRT cover rubber

### A-3 OPERATING BASE PLATE (INSIDE)

